
COFFEE MILL
16
24
SCRUB-BRUSH COMPARTMENT
10
17
36
20
12
43
45
44
A

FIG. 1


24
38
16
28
12
34
LIFT-OUT TRAY
17
36
39
PULL-OUT DRAWER
44
18
45
FLEXIBLE SHAFT
43
B
20
25
23

FIG. 2


5.00 ø
16
COFFEE/FOOD MILL
4-5 cup CAPACITY
HINGED SCRUB BRUSH COVER
17
15
19
13
26
24
SCRUB BRUSH COMPARTMENT
10.75
14
MOTOR
38
LIFT OUT TRAY
MOVES WITH DRAWER
HOLDS ACCESSORY... (MIXER?)
21
SPACE FOR...
SPATULA, KNIFE, ETC.
SPACE FOR
ACCESSORY...
(IMMERSION BLENDER)
5.00
.75
FLEX SHAFT (10.00 DIA. COILED)
42
40
22
18
FRONT ELEVATION

FIG. 3



Fig. 4

FLEX-SHAFT DRIVE SCRUBBER

E


20
130
134
PRESS
128
132
BUTTON CONTROLS RELEASE OF LIQUID DISH SOAP
132
130
FLEX-SHAFT DRIVEN SCRUBBER
W/ SOAP DISPENSER FEATURE
E-1

FIG. 5


BEATER RELEASE(?)
54
56
50
NON-SUP MATERIAL
52
20
18
FLEX-SHAFT DRIVEN BEATER

FIG. 6


FLEX-SHAFT CONNECTS TO "BACK" OF BLENDER
18
20
66
62
CONTROL BUTTONS
NON-SLIP MATERIAL
60
64
IMMERSION BLENDER
A

FIG. 7


23
170
169
168
167
166
18
25
20
171
172
THUMB CONTROL
162
160
NON-SLIP MAT
164
IMMERSION BLENDER
D

FIG. 8


FIG. 9
FIG. 10
FIG. 12
200
202
204
205
206
207
208
209
210
212
214
216
218
220
222
224
300
302
304
306
308
310
ACCESSORIES
PROCESSOR
BLENDER
FLEX-SHAFT
POWER CONTROL
RETRACTABLE FLEX-SHAFT
SHAFT RETRACTION

FIG. 11a





FIG. 11b


FIG 13
415
400
412
424
406
412
410
422
404
402
406

FIG. 14





FIG 15

FIG. 16